

translation of clinical reference letter



ORSZÁGOS
ORVOSI
REHABILITÁCIÓS
INTÉZET

National Institute for Medical Rehabilitation, Budapest, Hungary
Budapest, Szanatórium utca 19. <http://rehabint.hu/welcome.htm>

Dear Mr. Dr. Attila Erdőfi-Szabó,

Since 2010 we have been using EMOST method at our department in the process of rehabilitation following limb amputation together with the procedures stated in the rehabilitation protocol. We have been using this technology aiming mainly at reducing and stopping phantom pain and reducing the post operation post traumatic stress of the patients having been operated on. After the medical attendance aiming at the above mentioned goals we experienced the following results:

- a) there is less formation of phantom pain after the operation
- b) higher number of decrease and stopping of phantom pain
- c) post traumatic stress of limb absence is significantly less in the treated patients
- d) healing of the wound is significantly faster, the stump can be strained much earlier
- e) sleep quality in treated patients is significantly better than in the non-treated ones
- f) psychological status of the patients treated is significantly more propitious than in non-treated ones

In our department we used this method with patients having defecation and urination problems which made the rehabilitation process more difficult and thus making their quality of life worse.

According to our experiences we can state that using the equipment for these purposes, defecation and urination malfunction of treated patients decreased significantly, including stool retention and urinary retention and the decrease and stop of incontinence caused by stress.

It is a particularly good result because of the limitation of motion and the high risk of motion deficits, because the imbalance of "freshly" Amputees and the the number of injuries caused by falling due to perceiving the not yet accepted altered body image can be significantly reduced.

Our experience also suggests that the central nervous system and autonomic nervous system treatments resulted in the patients body detection is better than in non treated patients.

This way getting used to artificial limb is quicker, and more efficient thus reducing the risk of falls and the consequential formation of necrosis of the stump, while the rehabilitation time improves.

As we have reported in the magazine *Electromagnetic Biology and Medicine*, we found that patients treated with our method are needed smaller proportion of reamputation so the positive results exist, thus long-term effects can be assumed.


According to our experience we have gained so far, the EMOST method and equipment is considered a promising method because of its beneficial and spectacular impact on the nervous system, the conductivity and the post traumatic stress.

On behalf of my colleagues and myself I claim to continue the collaboration in the research team's work, so that the procedure based on the further results can be included in the protocol of amputee rehabilitation.

I wish you success in your work,

18.06.2012, Budapest

Dr. Attila TILL, Chief Medical Head of Department, Amputation Surgical Dep.,
National Institute for Medical Rehabilitation



Országos Orvosi Rehabilitációs Intézet
1528 Budapest XII., Szanatórium u. 19.
Telefon: 391-1944, Fax: 391-1977
ÁNTSZ-016010201
Amputációs Sebészeti osztály
osztályvezető főorvos: dr. Till Attila

Dr. Till Attila,
osztályvezető főorvos



ORSZÁGOS
ORVOSI
REHABILITÁCIÓS
INTÉZET

Amputációs Sebészeti Osztály

Osztályvezető: dr. Till Attila

1121 Budapest, XII. Szanatórium u. 19.

Tel.: +36/1/391-1900, 391-1901 Fax: +36/1/200-2698

e-mail: a.till@rehabint.hu

Cím: Dr. Erdőfi-Szabó Attila Ph.D.

BioLabor Biofizikai- és Laboratóriumi Szolgáltató Kft.

Tisztelt Dr. Erdőfi-Szabó Attila úr!

2010 májusa óta alkalmazzuk osztályunkon az EMOST módszert az alsó végtag amputációt követő rehabilitáció folyamatában, a rehabilitációs protokollban szereplő eljárások mellett. Az elmúlt időszakban főként célzottan, a fantomfájdalom csökkentése, megszüntetése, illetve a betegek műtéti beavatkozást követő „post-traumás” stressz csökkentése céljából használtuk a technológiát. A fent meghatározott célokból indított kezelések után az alábbi eredményeket tapasztaltuk:

- a) a fantomfájdalom kialakulása kisebb arányú a műtétet követően kezelt betegeknél
- b) a fantomfájdalom csökkenése, megszűnése nagyobb arányú a kezelt betegeknél
- c) a végtagvesztést követő post-traumás stressz jelentősen kisebb a kezelt betegeknél
- d) a sebgyógyulás jelentősen gyorsabb, a csonk hamarabb terhelhető a kezelt betegeknél
- e) a kezelt betegek alvásminősége jelentősen jobb a nem kezeltékénél
- f) a kezelt betegek pszichés állapota jelentősen kedvezőbb a nem kezeltékénél

Az osztályunkon, olyan betegeken is alkalmazzuk a módszert, akiknél széklet- és vizeletürítési panaszok is nehezítették a rehabilitáció folyamatát, egyben rontották a betegek életminőségét. Tapasztalataink alapján kijelenthetjük, hogy a készülék e célú kezelési programjainak hatására a kezelt személyek ürítési zavarai is jelentősen csökkennek, beleértve a széklet- vizelet visszatartás illetve a stressz okozta vizelet inkontinencia csökkenését, megszűnését is. Ez a mozgás korlátozottság és a nagy kockázatot jelentő mozgásdeficit miatt kiemelten jó eredmény, hiszen a „friss” amputáltak egyensúlyzavara és a még el nem fogadott, megváltozott testkép okozta gyakran észlelt eleséséből származó sérülések száma jelentősen mérsékelhető.

Tapasztalatunk alapján kijelenthető, hogy a központi idegrendszeri és autonóm idegrendszeri kezelések eredményeképpen a kezelt betegek testérzékelése is jobb a nem kezelt betegeknél, ez a művégtag megszokását gyorsítja, a használatát javítja, így csökkenti az elesés kockázatát, valamint a következményes csonkelhalás kialakulását, egyúttal a rehabilitációs időt is javítja. Ahogy arról az Electromagnetic Biology and Medicine c. szaklapban beszámoltunk, tapasztaltuk, hogy a kezelt betegeknél a reamputáció szükségessége kisebb arányú, az elért kedvező eredmények tartósan fennállnak, így a hosszabb távú hatásmegtartás vélelmezhető. Az eddig szerzett tapasztalataink alapján az EMOST módszert és készüléket az idegrendszerre, az ingervezetésre, és a „post-traumás” stresszre gyakorolt jótékony és

látványos hatása miatt ígéretes módszernek tekintjük. Munkatársaim és magam nevében kijelentjük, hogy továbbiakban is közreműködünk a kutató team munkáiban, hogy az eljárás a további eredmények alapján a rehabilitációs protokollokba illeszthetővé válhasson. Munkájukhoz sok sikert kívánok!

Budapest, 2012. június 18.



Dr. Till Attila,
osztályvezető főorvos

Országos Orvosi Rehabilitációs Intézet
1528 Budapest XII., Szanatórium u. 19.
Telefon: 391-1944; Fax: 391-1977
ÁNTSZ-016010201
Amputációs Sebészeti osztály
osztályvezető főorvos: dr. Till Attila

Publikációk:

1. Szombathelyi Zs. – Kárpáthy E. – **TILL A.**
Comparative in vitro study of RGH-2981, a new peripheral blood flow enhancer on animal and pathological human arteries = Pol. J. Pharmacol. Pharm. 1989. 41. 591-595. p.
IF: 0,195
Cit.: -
34. **TILL A.**
Amputáció és rehabilitáció időskorban= Családorvosi Fórum 2010. február. 28-30.p.
35. **TILL A.**
Alsó és felső végtagi protetika
in: Rehabilitációs orvoslás /szerk: Vekerdy-Nagy Zsuzsanna – Medicina Könyvkiadó Zrt., Budapest, 2010.295-299.p.
36. **TILL A.**
Amputáltak és dysmeliások rehabilitációja
in: Rehabilitációs orvoslás /szerk: Vekerdy-Nagy Zsuzsanna – Medicina Könyvkiadó Zrt., Budapest, 2010.574-583.p.
37. Bókkon I., **TILL A.**, Erdőfi-Szabó A.: A Phantom pain reduction by non- ionizing Electromagnetic treatment = Hungarian Epidemiology, = 010;7/4/Suppl. : 15.p. Abstract.
38. Bókkon I., **TILL A.**, Erdőfi-Szabó A.: Phantom pain reduction by non-ionizing electromagnetic treatment = Nature Precedings <http://dx.doi.org/10.1038/npre.2010.4989.1> 2010.
39. Bókkon I., **TILL A.**, Erdőfi- Szabó A.: Phantom pain reduction by low frequency and intensity electromagnetic fields: redox-related neural plasticity = Electromagnetic Biol.Med.
IF: 0,729
40. Bókkon I., **TILL A.**, Erdőfi-Szabó A.: Non-ionizing electromagnetic-own-signal-treatment =European Biophysics Journal. Vol.40.Supplement 1. August 2011. P-576.
41. Göbl A.,**TILL A.**, Rembeczki L.: tapasztalataink a „ problémás” diabeteses lábsebek gyógyításában a hiperbárikus oxigénterápia adjuvans alkalmazásával = Diabetologia Hungarica. Supplement.12. 04 .2012. P-68.

(translation of reference letter)



ARMY Independent Voluntary Health Insurance Fund

1392 Budapest, Pf.:295 web:www.honvedep.hu E-Mail: honvedep@honvedep.hu
Tel:(+36 1) 412-3320,412-3321; HM 277-95 Fax:239-6749 HM fax: 278-94
1135 Budapest Aba utca 4.

Additional ARMY Independent Voluntary Health Insurance Fund was launched in March 1996 as a sector insurance and it has been opened as publicly found since 2005.

The number of institutional employers are over 100, who are paying their employer contribution. The fund's largest employer is the Ministry of Defence. The membership of health fund exceeds 30,000 people.

We have had a health service contract between our Health Service and Your Company for around three years, to provide the preventive care, screening, and health needs of our members.

During the last period of the staff took health services, which included medical tests after developing Personal Health Plans and treatments.

The treatments aimed at health prevention and rehabilitation, mainly:

- to improve physical well-being
- improving vital capacity
- treating post-traumatic stress
- other e.g. wound healing, digestion, allergies, pain relief

Recently many of our members took advantage of the advanced services of your Health Service. Our members consider the service appropriate, effective and they are still being used.


Your professional commitment is demonstrated by being on demand at our events free of charge and by giving free presentation of your services. Hereby I would like to thank you for your work at our recent common successful introduction in Veszprém village (at Military Day).

I wish you good luck to your work, and I hope for further successful cooperation,
18.06.2012. Budapest, Hungary, EU

Dr. Miklós Rékai

managing director,

ARMY Independent Voluntary Health Insurance Fund





Dr. Erdőfi-Szabó Attila Ph.D.,
BioLabor Biofizikai- és Laboratóriumi Szolgáltató Kft.

Tisztelt Dr. Erdőfi-Szabó Úr!

A Honvéd Önkéntes Kölcsönös Kiegészítő Egészségbiztosító Pénztár (továbbiakban: Pénztár) 1996. márciusában alakult ágazati pénztárként, 2005. áprilisától országos nyílt pénztárként működik. A munkáltatói hozzájárulást fizető munkáltatók száma meghaladja a 100-at. A pénztár legnagyobb munkáltatói tagja a Honvédelmi Minisztérium. A pénztár taglétszáma meghaladta a 30000 főt.

A Pénztárunk és Önök között közel három éve áll fenn szolgáltatói szerződés, tagságunk megelőző ellátási, szűrési, egészségvédelmi igényének biztosítása érdekében. Az elmúlt időszak alatt az állomány magán egészségügyi szolgáltatásokat vett igénybe, melyek között orvosi vizsgálatokat követő személyes egészségtervek kialakítása és kezelések szerepeltek.

A kezelések egészségőrző és rehabilitációs célúak, melyek jellemzően:

- fizikai közérzet javítás
- vitálkapacitás növelés
- post-traumás stressz kezelés
- egyéb, pl. sebgyógyulás, emésztés, allergia, fájdalomcsökkentés.


Az elmúlt időszakban számos Pénztártagunk vette igénybe az Önök korszerű szolgáltatásait. Tagjaink a szolgáltatást megfelelőnek, eredményesnek találták, és jelenleg is folyamatosan igénybe veszik.

Szakmai elkötelezettségüket bizonyítja, hogy Pénztárunk rendezvényein, felkérésünkre Önön ellenszolgáltatás nélkül rendelkezésre állnak és térítésmentes bemutatót tartanak szolgáltatásaikról.


Ezúton mondok köszönetet legutóbbi sikeres Veszprémi közös bemutatkozásunkon végzett munkájukért.

Budapest, 2012. június 18. -n

További sikeres együttműködést reményében



Üdvözlettel:


Dr. Rékai Miklós
ügyvezető igazgató



ORFK


Rendészeti Szervek Kiképző Központ

Lőkiképzés- és Intézkedéstaktikai Alosztály

Levélcím: 1097 Budapest, Vágóhíd u. 11-13.; 1903 Budapest, Pf. 314

BM ☎:28-012 Városi ☎:476-3445 BM fax:28-062 Városi fax:476-3446

Egyetértek:


Simon Géza
igazgató

translation of reference letter

Hungarian National Police and Provost Duties, Armed Marshalls Training Center (ORFK-KK) Marksman- and Tactical Units Training Department

approved by Simon Géza

director

Referring to your report of 15 November 2011 concerning the efficiency of EMOST treatments on the staff taking part in the training program for special units during the period of 4-7 October 2011, I congratulate you on the achieved results.

While consulted the staff about the treatment I got positive feedback on the treatment only. You managed to achieve development and measurable decrease of stress load in training circumstances.

Special congratulations on the proven results which exceeded your estimated rate.

I am delighted that the technology has been tested first in the world in the (Hungarian) National Police and Provost Duties, Armed Marshalls Training Center Marksman- and Tactical Units Training Department in lifelike mission environment, in real situations.

I wish you good luck to your work and to effective adaptation of your method.

28.11.2011, Budapest,

Zoltan Laszlo SZABÓ, Ret. Police Lieutenant-Colonel,
Marksman- and Tactical Units Training Department Chief


Szabó Zoltan László t. alezredes
alosztályvezető




ORFK

Rendészeti Szervek Kiképző Központ
Lőkiképzés- és Intézkedéstaktikai Alosztály

Levél cím: 1097 Budapest, Vágóhíd u. 11-13.; 1903 Budapest, Pf. 314
BM ☎:28-012 Városi ☎:476-3445 BM fax:28-062 Városi fax:476-3446

Egyetértek:



Simon Géza
igazgató

Dr. Erdőfi-Szabó Attila Ph.D.,
BioLabor Biofizikai- és Laboratóriumi Szolgáltató Kft.

Tisztelt Dr. Erdőfi-Szabó Attila Úr!


Hivatkozva 2011.11.15-i Beszámolójára, melynek tárgya a 2011.10.04-07. időszakban kiképzési programon résztvevő speciális rendőri feladatokat ellátó állományon végrehajtott EMOST típusú kezelések eredményessége, gratulálok, hogy a megküldött eredményeket elérte.

Az állomány körében folytatott konzultáció során a kezeléssel kapcsolatban csak pozitív visszajelzést kaptam. Sikerült teljesítmény növekedést és mérhető stressz terhelés csökkenést elérniük kiképzési helyzetben.

Külön gratulálok ahhoz, hogy a tapasztalt eredmények felülmúlták az Önök által előre megbecsült mértéket, és örömmel tölt el, hogy az ORFK RSZKK intézményben lett a világon először tesztelve életszerű bevetési környezetben a technológia.

Munkájukhoz, és a módszer további eredményes alkalmazásához sok sikert kívánok,

Budapest. 2011.11.28.



Szabó Zoltán László r. alezredes
alosztályvezető



NATO CENTRE OF EXCELLENCE FOR MILITARY MEDICINE
H-1885 Budapest, P.o.B. 25
Phone: +36 (1) 883-0100 • Fax: +36 (1) 883-0120



TO: Dr. Erdőfi-Szabó Attila Ph.D.,
BioLabor Biofizikai- és Laboratóriumi Szolgáltató Kft
H-1122 Budapest Városmajor u. 20. I/20


SUBJECT: **LETTER OF APPRECIATION**

DATE: 18 JUNE 2012

Dear Professor, dear Attila,

Congratulation to your scientific results, which were recently published in Electromagnetic Biology and Medicine (2012.VI, DOI: 10.3109/ 15368378.2012.681823). I see it as a great prospective in future not-yet-conventional training and rehabilitation processes.

With the hope of further successful cooperation I wish you all the best!


Lieutenant Colonel Robert BALAZS MD
Lessons Learned Branch
Acting Chief

Dr Beatrix SKURDENKA

Specialist physician, factory doctor, ambulance doctor, general practitioner, gastroenterologist and practice in the field of cardiology
BUDAPEST – HUNGARY – EUROPEAN UNION

Subject: Medical opinion

I have been working within the frame of service of BioLabor since 2009, mainly in the field of medical visits and factory medical audit. During inspections I often experience accumulated complaints of patients, in such cases I suggest comprehensive change of life-style and also solutions helping self-regeneration in view of the results of treatment.

As I have the chance to examine the changes of condition, the visible efficiency of treatments and statement of subjects aroused my interest, and I got to know the biological-biophysical impact mechanism of the treatment, the EMOST treatment method of Biolabor from Attila Dr. Erdőfi-Szabó managing director, developer, and I have carried out treatments since January 2010.

Summary of my experience

1. Psychological overload, stress, lethargy (37 subjects)

During inspections I experienced significant distress status, significant underregulation of dopamine, increased level of cortisol, typically high value of blood pressure and insufficient activity of the heart, typically respiratory disorders, hypoventilation, and also hypercapnia. On the first occasion of the series of treatments so-called Happy-Cocktail (#1) directed at the central nervous system. I gave a 45-minute treatment, after a short time at rest subjects typically reach the deep sleep phase, their breathing gets balanced, they are calm during the treatment. Their behaviour after treatment is typical of awakening, the second treatment occurs after a week.

During the second treatment there are two types of experience with subjects. Less change can be experienced in case of those whose body is presumably dehydrated due to low water intake. Those subject whose water intake is proportional to the body weight, typically mention increased tranquillity, meanwhile higher vitality and increased vital performance. The second treatment, Happy Cocktail (#2) is mainly directed at the neurotransmitters and the limbic system, length of treatment 45 ins in both cases. During the treatment subjects are at rest, they require less conversation, I draw their attention to the importance of water intake.

Experience at arrival to the third treatment is typically decrease of mood swings and increasing comfort, so the third, fourth and fifth treatment is carried out in the previously standardized way, in weekly rhythm, and then I check the changes of status. After the series of treatments subjects are usually in a more favourable steady state compared to that before the treatment, their stress level has

considerably improved, the level of dopamine and cortisol is typically better, symptoms of dispnea has considerably decreased, their mood and vitality has gotten better which they usually attribute to the treatments. In my opinion this method of treatment proves to be really effective in the treatment of stress which has remarkable guarding and preventive effect in point of stress risks and their adverse effects.

2. Accumulated complaints (56 subjects)

I experience in a lot of cases that the regulation of the body is unstable, under- and overfunctioning, compensation often occur just like hormonal and circulatory processes. In case of experiencing morbidity and distress appearing among risk factors I carry out a comprehensive treatment named Maxi-Vital that improves well-being.

Behaviour of subjects during treatment is typically the same as introduced above so I would rather not repeat myself.

This series of treatments is central nervous system/anti-stress indicated for the first two times, then directed at metabolism, circulation, immunity; on the whole it is comprehensive, health improving purpose, requiring altogether five treatments. According to my experience improvement of homeostasis can be well demonstrated in the changes of status, significantly occurring improving measured values (circular efficiency, improvement of heart function, decrease of metabolic disorders) and improving well-being of subjects. In my opinion this series of treatments can greatly improve the chance of healing, regenerational ability, decreasing risks and adverse effects so in case of accumulated complaints this method can greatly improve the results of other therapies.

3. Own experience

Occasionally I also avail myself of the treatments, its stable stress reducing effect is really favourable for me, I also experience improvement of concentration and my vital capacity has considerably increased. It seems that the achieved results are overall capable of improving the subsystems and the overall body, so I started a series of treatments based on each other.

Summary

Based on the significant favourable changes of status I suggest this method for reducing stress risks and improving the chance of healing morbidity, presumably improving therapeutical efficiency, preserving and improving health, targeted treatments after researches controlled among clinical circumstances.

Date: Budapest, 14.03.2011



Dr Beáta SKURDENKA, (speaks in english)

Tel.: +36 20 594 5050



IBS - Irritable Bowel Syndrome

Dr Magdolna TÓKEY

Recovery from irritable bowel syndrome after seven years. Anamnesis: Man of 28 years, with IBS diagnosed seven years ago, psychological disturbances, progressive complaints of psychosomatic origin. Subject has been suffering from discomfort due to his illness, he can bear his transportation while travelling to the family owned venture only with parental help, by car. Due to his incontinence he has solved other journeys by parental toilet exploration and "toilet map" for years. This psychological load intensifies his complaints, complaints intensify his psychological load as a cycle, he has difficulties in building relationships due to his illness, furthermore he is not able to keep his partners. Parent comes across the method of Biolabor in the family-owned venture, in a photocopy shop. Afterwards they come for consultation and to take part in a free of charge trial. Indication: the first area is psychological unloading, the second target area is release of erosion in the bowel wall, regeneration of intestinal mucous membrane and regulation of its pH value, then the third target area is the improvement of the digestional process, hereby improvement, reactivation of the alimentary tract and absorption of alimentary substances.

Treatments take place in turns, on a weekly basis. During the first treatment he falls asleep, his parents receive it with curiosity. During the second treatment subject and parents tell that he feels and sleeps more comfortable. Right after the second treatment no stimulus of defecation occur any more. Before the third treatment the experience of the



last two weeks indicate favourable changes, the frequency of defecation, faecal retention disorders falls nearly by half. After the third treatment he goes home alone by public transport. Before the fourth treatment an account is given about the experience of the last three weeks according to which his well-being has greatly improved, his inhibitions has decreased, respectively they do not occur, his taste and salivary excretion has become more intensive, his elimination is free of complaints. He arrives alone at the fifth treatment, talking about remarkable improvement, he is calmer and feels better, his faecal retention has become more controlled, controllable. Before the sixth treatment he talks about his experience in the last five weeks according to which his fears and worries have improved a lot due to the improvement of elimination, faecal retention; he reckons only one or two further treatments as reasonable "just to be on the safe side". Today, on 15th September 2010, on the day of the seventh treatment subject is completely calm, being in a psychologically unloaded state during the treatment, giving a healthy impression. Based on his account he "feels completely well", his previous experience of discomfort appear rather as memorials, however he can naturally get by them. The subject and his parents express that his load seems to end after several years of discomfort, secludedness, bad quality of life, and the method of BioLabor meant a solution for the subject (Zoltán) in his recovery from irritable bowel syndrome.

Dr Magdolna TÓKEY, physician, retired GP

MEDICAL OPINION

I got acquainted with the proprietary development method of BioLabor in 2007, and I have been a devotee of it since then. Based on my experience of several hundreds of patients I can say this self-regeneration stimulating method (EMOST) can be really useful for both the science of medicine and patients. I am convinced that human beings can heal themselves just as they can make themselves ill. This method works as a mirror. It seems it can confront the body with the ongoing biological processes, so it can facilitate re-checking of processes being behind the regeneration pace, self-regulation, self-recovery, homeostasis, and this is a great success.

Dr. Tókey Magdolna
Dr. Tókey Magdolna

Dr Magdolna TÓKEY, physician, retired GP

+36 70 342 9968

Mrs Csűrös Dr Veronika Hajda

Parmaceutist, Naturopath-fitotherapist, Homeopathic consultant
Budapest - Hungary – European Union

Subject: Medical opinion

Dear enquirer,

I have used the equipment developed by BioLabor since 2007, the reason of my purchase was my receptiveness of modern equipments and supplementing allopathic therapies to increase their efficiency.

I can regard the efficiency of the method successful until today, mainly in case of chronic diseases where the conventional protocol could not reach sufficient recovery results. According to my experience the equipment provides outstanding results mainly in the improvement of the regulation system of the body, both in chronic and acute, stagnant stages.

Summary of my experience:

1. In case of sleeping disturbance, insomnia (267 subjects)
4-5 treatments, carried out with a weekly frequency, are typically enough to reduce chronic problems remarkably, or to cease them. After the first, second treatment subjects experience improvement of their mood, a favourable change in their psychological state, improved metabolic process, and balanced circadian rhythm. After the completion of treatments their complaints are significantly reduced, typically ceased, their social and interpersonal relations get normal. According to my experience subjects preserve the state they reached also in the long run after the series of treatments, or rather their state often even improves after the series of treatments.
2. In case of allergy, irritation (158 subjects)
Subjects typically suffer from several symptoms of irritation, allergy with more complaints at the same time. I start the treatments with stress relieving treatment which means 2-3 treatments, followed by natural and unknown antigen treatments every week, altogether 4-6 times. During the treatment moderate diet and increased water intake is suggested. (25 body kilogram/1 litre of water) According to my experience the stress relieving treatments already reduce complaints which refers to the psycho-neuro-immunological connections, psychosomatic effect. After finishing the series of treatments a significant part of subjects is free of complaints, the remaining small fraction needs nutritional immune intolerance test presuming enzyme disorders. I find the method outstanding in case of children with asthma bronchilae, atypic dermatitis. This is the point where I have to remark that I appreciate the Social Responsibility program of Biolabor, the caritative, free of charge treatment of children under ten years old is exemplary and unfortunately necessary.
3. I case of persistent mood disorder, lethargy (307 subjects)
During my experience subjects get to the status of persistent mood disorder and lethargy in conjunction with metabolic and regulational disorders. Complaints are accompanied by sleeping disorders and also characterized by digestive, elimination disorders. I always start the treatments with stress relieving treatment, then I carry out both the sleeping disorder and digestive program once.

Based on the experience gained during these treatments I follow the treatments with mood disorder and Happy Cocktail program, typically 4-5 times on a weekly basis. Based on the last years the method is exceptionally indicated in such cases, subjects usually give an account of stable favourable changes, their drug addiction is considerably reduced, their social relations improve, their psychological status gets normal. It belongs to my opinion while the equipment helps to get over the "dead point" , it is also necessary to settle the root causes, but then this method gives an appropriate psychological method.

4. Incontinence, elimination disorders (156 subjects)

The service of Biolabor's equipment provided in this field reaches success in such an area where there is no real alternative. Subjects usually arrive with several parallel symptoms, psychological/mood disorders, sleeping disorders, neurological overload and in many cases drug overload that have an effect on the sensitivity to stimuli, steroidal regulation, resistance. I always start the treatments with stress relieving treatment, then I carry out the series of incontinence treatment which means altogether 4 occasions on a weekly basis. In case the expected result is late during the treatment then I supplement it with stress relieving treatment and sleeping disorder program, so typically the expected favourable result can be achieved by 2-3 further treatments. In case of elimination disorders (chronic constipation) after 2-3 targeted treatments the equipment usually helps the regulation, correction of peristalsis, intestinal mucosa, hydration, reducing complaints by self-regulation.

5. Other experience:

- Conception program: In case of conception difficulties I suggest an allergy test for the mother in the first place. In case it exists then first I give a stress relieving (central nervous system, limbic balance, amygdala, hypophysis) treatment, followed by 4-5 targeted antiallergic program and I suggest the increase of fluid intake. After the treatments in the week of ovulation I start the Conception program which means 5 treatments, including estradiol, FSH, neurotransmitter balance, after which we usually reach the goal within two or three months in 70-80% of the cases.
- Children: According to my experience the treatments of children are really effective. 2-3 shorter targeted treatments are typically enough for a considerable improvement. The immune system strengthening programs are given with great efficiency to children getting into community, their healing time gets considerably shorter and they become comparatively more resistant. After 1-2 treatments hyperactive children generally calm down, become well-socialized, their emotions get more stable. In case of inhibited, fearsome children 3-4 mood improving treatments are enough for the change, and an accompanying results is that their vitality, appetite and activity improves, and their resistance also increases.

As a summary, I find the equipment and the method appropriate to reach the above mentioned goals, to help the self-healing mechanism of the body, to reduce chronic disorders.

Budapest, 6th May 2011

Mrs Csűrös Dr Veronika Hajda

Tel.: +36 30 999 99 47 *(speaks in english)*



Iringó Ingrid Tankó 14th Nov 2009 brain damage at birth, (birth stroke), birth hypoxia, muscle, Pier Robin syndrome diagnosed at the age of 2 months.


➔ Breathing, muscular spasm, visual and audial reflex, lack of pharyngeal reflex, pulmonary atrophy, faint, hardly viable status.

No. of EMOST™ treatments:

1. treatment on 19.06., XXXX, pneumonia, 339, digestion, oxygen intake.
2. 340, 366, 403, 339
3. 340, 366, 403, 339
4. 340, 341, 366, 403, 339

Experience until now:

Parents: "Her breathing is calmer, her eye-sight is better, better reaction to stimuli. The hearing reflex improved, she reacts even from 2 meter far. There is no change in pharyngeal reflex. Her parents reckon the apperance of visual-audial reflex as a really favourable change. Her mood is better, the need of creating relationships appeared. Her mother is reading and after her song she seems to express pleasure, her grasp became stronger. According to the child's physician, Dr Julcsi Seres, the symptoms of muscle atrophy is not detectable, no change can be perceived in the coordination of the limbs. Holding of the head and neck appeared for a short time, 5 minutes continuously, she can hold it again after a short rest. Her defecation improved, its consistence improved, being attributed to tasting on the tongue as well. The result of moving the child on the ground is that she can roll around alone for almost an hour which she likes. It can be declared that her fitness, concentration, mood and abilities have greatly improved since the treatments carried out by EMOST, 'it can be regarded as GREAT result compared to the beginning'. The parents stated that the family got a chance to step over the dead point of shock and hopelessness.



Dated: Sepsiszentgyörgy 05.08.2011."

Romania, EU

Kelt, Sepsiszentgyörgy 2011.08.05.
Kovács

<u>Deák</u> Hollekai Ilona 075 211 8190	<u>Tankó</u> Tanka Urszula 074 114 7680
<u>Dr. Farkas László</u> Károly	<u>Dr. Seres</u> Júlia



FM:

TO:

DATE:

2009

Tankóknings lapra 2010. nov. 14., agghérodás, (mülsi stroke),
mülesi oxigénhiány, izomPier Robert szindrómá 2 hónapos hemban diagn.

→ légzés, izomgöncös, látás-hallás reflex, yelenreflex hiány,
túró nem válasz, erőteljes, alig ételhez ér állapot.

1. kérés 06.19-én, anafóros, tudósmü, 339, enétes, oxigénfelv.
2. 340, 366, 403, 339
3. -||-
4. 340, 341, 366, 403, 339

Eddigi tapasztalat:

A légzés gyapodtabb. Hallás jobb ingerre nem reagál.
Hallas reflex javult, 2 m-köl is nem reagál. Nyelvi
reflex nem változott. Szükhöz a látás-hallas reflex
megjelenését igen kedve változásnak ítélik.
Kedve javult, kapcsolatot teremtő igéje megjelent,
Ugyan olvas és emlékszentán mintha tetszést
gyülvánitana 😊, Fogban erősödött, De Szas dulcsa
mindentosa mint az izomgöncös tünetei nem emel-
kedők, köz láb koordináció még nem tapasztalható
változás. A fej-zok teljes megjelent, nő mind ideig
5 percig befutóban, kis pihenés után ismét felj.

M
E
M
O

FM:

TO:

DATE:

Ut néhale joutt, dállaga joutt, ut geluen izlettelés
 erednéjnek is beludják. Ut Gseuek földön törtéző
 mozgatósa erednéje, no; d em övs ideig övállóan
 fogadók, an; letrik neki. Kijelenthető, hogy
 erőnléte, koncentrációja, kedve és képessége
 az EMOST haveléses óta sokat javult, "ahogy
 korottik NAGY erednéjnek számít", ut mielőtt kijele-
 tik, hogy a család eséjt kapott, hogy átköltöztették
 a sokk és nevelésükig kottapotján.

Kelt, Szepriesedmonon 2011.08.05.
 Kovács

Kovács
 Jolán Ilona
 075 211 8190

Tanka
 Tanka Ucsnik
 074 114 7680

Sti Fikus Kibn
 Kereő

Ucsnik



Recovery from stigmatic double consciousness

“Recovery from stigmatic double consciousness after nine years. Anamnesis: Twenty-four year old man (resident of Siófok), double consciousness diagnosed nine years ago, subdepression, superficial injuries of stigmatic characteristic on the skin below the shoulder blades, furthermore signs of other injuries not caused by himself (medical evidence), constant nightmares, asocialization, ochlophobia, living alone with his mother, declared to be unemployable due to psychological causes. During personal consultation he has a distant look, he is under the effects of antidepressants, avital, of weak concentration, his manifestations indicate increased sensitivity to stimuli while evoking his experiences. He was directed to Prof. Dr Ágnes Valló psychotherapist, behaviour therapist, university teacher, based on his personality disorder and psychological status, where searching a different treatment became necessary after two psychotherapeutic treatments.



of inhibition, the other targeted the neurovegetative system, mainly the parasympathetic (perception of stimuli) and sympathetic (reactions to stimuli) regulation and the controllability of neurotransmitters. The targeted treatments were carried out on alternating areas on a weekly basis. After the second treatment subject and parent gave an account of improving mood, reduced frequency of lethargic and depressive periods experienced during the first week. During the second week his mood improves even further, he leaves the house for the first time after nine years and takes a walk in the garden. After the third treatment he has the first undisturbed sleep, on the fourth week he pays attention to his clothing. He takes a short walk in the centre of Siófok, on the promenade (at the end of August, in peak season) accompanied by his parents. After the fifth treatment he feels calm and confident enough to travel ALONE by train from Siófok to Budapest for his sixth treatment and then back home. This imbues both his parents and the treating staff with delight and excitement. Before the treatment he talks about the overall favourable changes, settling of his emotions and giving up taking certain antidepressants, appearance of enthusiasm. His manifestations are controlled, reflexes can be evaluated, are adequate, his behaviour is stable. After omitting one week he arrives to the seventh treatment alone by train again, giving and showing the impression of a young man with a healthy psyche. Answering a question he claims that he feels to be cured, he has desires, longing for relationship, fellowship, he think with love of his relationship with his parents and wants to be active, useful. Today, on 15th September 2010 we could present the story of a cured person, his release of stigmatic double consciousness and bipolar depression, ochlophobia, with the application of electromagnetic own signal therapy (EMOST) of BioLabor (Dr.Erdőfi-Szabo), with contribution of subject and parents, with common success and delight.”

Prof. Dr Ágnes Valló
+36 30 981 6332

Declaration of subject:

Paranoid schizophrenia

“My illness is paranoid schizophrenia. One of its characteristics is that the patient is not aware of the illness. I was told by several people (before the treatment of Biolabor) that my speech was incoherent. For me it did not seem incoherent at all, indeed I spoke very logically, but there were things I did not dare to talk about openly so I tried to circumscribe them with other words, and if people had taken trouble over concentrating on my message and followed my speech from the very beginning, then the hidden content of my speech would have been made up. My speech was slow and discontinuous because I continuously rephrased my real message into a version that can be hardly understood by criminals. At least at the time I had on my brain that by making the comprehensibility of my sentences more difficult I can avoid ill-intentioned people hurting me.

I have an idea about the cause of development of my illness. According to others this coherent logic is nothing else but the irrational thinking arising from my illness. According to my idea the symptoms of schizophrenia appeared within me when I was buried under the ground. I have not known about it for years but there is an explanation for this as well. According to me psychiatrists oppressed this memory in me, so it was easier to bear it. I was very colloquial with people before my illness, everybody knew and liked me in the hostel, I laughed and made others laugh a lot. Then I suddenly sank in myself. One of my classmates even made a remark that in the summer the UFOs had taken me with themselves and brought me back ruined. I could not explain to him why I had become so speechless, because these memories had been oppressed in me by then.

I started to get used to the situation when in a summer the thing that only happens in movies according to other people, happened again, I was buried again and cut very badly. From that time I dove into myself so much that I don't even remember what I did, what I spoke with whom and how I lived my life after the healing of my injuries. I took my school leaving exam nearly unconsciously and I went through a technical institute.

Later I began to take part in the treatments of Biolabor. The psychologist with whom I am in contact, told me that my speech was more complex and it was not as incoherent as it used to be. What I feel myself is that I am less often in depressive ascetic state. Before the treatment I was continuously depressed. After the treatment only in such cases when something important was a failure. I think I talk more and more to my friends. I used to be like a brainless vegetable. I am not a popular sanguine character even today but I have taken a road towards improvement due to the Biolabor treatments.

Dated: 25.11.2010 17:26, Musztafa A.M.”



Thanks giving graphic by Musztafa